

KIRTANLAL
SCAFFOLDING & FORMWORK

1 LEACH'S


“Taking Safety to New Heights”

SCAFFOLDING
SAFETY SUPPLIES



CONTENTS

	SAFETY HELMETS	1-3
	SAFETY GLOVES	4-5
	HEIGHT SAFETY	6-7
	RESCUE	8
	LIFELINES	9-10
	LIFTING & HANDLING	11-14
	SCAFFOLD TOOLS	15
	TOOL TETHERING	16
	TOOL KITS & ACCESSORIES	17-18
	SCAFFOLD SHEETING	19-20
	FIXINGS & TESTING	21-23
	SITE SAFETY	24-25





ULTRALITE HELMET

HEIGHT SAFETY HELMET, VENTED

DEFINING FEATURES

INCLUDES:

- Ultra Lightweight
- Quick Turn Adjustment & 4 Point Chin Strap
- UV Stabilised
- Certified Top & Side Impact Protection
- Multiple Colour Options
- Internal Comfort Padded

CONFORMITY:

EN12492 & EN397
Shock Absorption /
Penetration




AVAILABLE COLOURS



Order Code	Desc.
SHOULVH000000BLK000	Black
SHOULVH000000BLU000	Blue
SHOULVH000000GRN000	Green
SHOULVH000000RED000	Red
SHOULVH000000RNG000	Orange
SHOULVH000000WHT000	White
SHOULVH000000YEL000	Yellow



SAFETY HELMET



ULTRALITE FEATURES

- 1 Vented Options
- 2 Fully Adjustable 4-Point Chinstrap
- 3 Subtle BIGBEN® Branding
- 4 Replaceable Quick-Turn Adjuster
- 5 Certified Top & Side Impact Protection
- 6 4 Clips For Accessories
- 7 Internally Padded for Comfort
- 8 Side Mounting Slots for Visor / Ear Defenders

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE



RESCUE



PEAKED VENTED SAFETY HELMET

WITH CHIN STRAP



DEFINING FEATURES

INCLUDES:

- Lightweight
- Vented to Provide Airflow
- EN397 Certified
- Supplier with 2 Point Chin Strap
- Available in 3 Colours



CONFORMS TO:
EN397 Certified

Order Code	Size
SH0PVCS00000BLU000	Blue
SH0PVCS00000WHT000	White
SH0PVCS00000YEL000	Yellow

V-GARD PEAKLESS HELMET

WITH QUICK-TURN ADJUSTER



DEFINING FEATURES

INCLUDES:

- Quick-Turn Adjuster
- Short Peak Design
- EN397 Certified
- Available in 7 Colours



CONFORMS TO:
EN397 Certified

Order Code	Size
SH0PLADJ00000WHT000	White
SH0PLADJ00000BLU000	Blue
SH0PLADJ00000BLK000	Black
SH0PLADJ00000RNG000	Orange
SH0PLADJ00000RED000	Red
SH0PLADJ00000YEL000	Yellow
SH0PLADJ00000GRN000	Green




**SAFETY
GLOVES**

3

BIGBEN

ULTRA GLOVES

ULTRA GREY/ORANGE GLOVES



10 Gauge Grey Liner

For reduced rigidity,
greater flexibility and
enhanced
protective properties.



Crinkle Latex Palm

For robust grip
composition
and greater tactile
sensitivity.

DEFINING FEATURES

INCLUDES:

- Durable Close Fitting Latex Gloves for Scaffolding and Construction Work
- Extra Grip
- Longer Lasting Design
- Available in Sizes 8/M, 9/L, 10/XL

CONFORMITY:
EN388:2016

EN388:2016



3121X



Order Code	Size
GLOU0000080M000000	8/M
GLOU0000090L000000	9/L
GLOU000010XL000000	10/XL



BIGBEN® ULTRATUFF GLOVES



DEFINING FEATURES

INCLUDES:

- Cut Level D Dexterity Foam Nitrile Grip
- Lightweight, Durable and Dexterous
- Superior Specification Quality
- Tough, Close-Knit Liner
- Available in Sizes 8/M, 9/L, 10/XL

CONFORMS TO:

EN:388:2016 & RATING: 4X43D

EN388:2016



4X43D

Order Code

Size

GLOUTLVD080M000000	8/M
GLOUTLVD090L000000	9/L
GLOUTLVD10XL000000	10/XL

BIGBEN® ULTRATUFF CUT LEVEL F IMPACT GLOVES



DEFINING FEATURES

INCLUDES:

- Reinforced Double Dipped Thumb Crotch
- Suitable for Heavy Duty Applications
- 18-Gauge Liner
- Nitrile Foam Coating
- Available in Sizes 8/M, 9/L, 10/XL

CONFORMS TO:

EN:388:2016 & EN407:2020

EN388:2016



4X42FP

EN407:2020



X1XXX


Order Code

Size

GLOUTFIM080M000000	8/M
GLOUTFIM090L000000	9/L
GLOUTFIM10XL000000	10/XL



BIGBEN® SAFETY HARNESSES



DEFINING FEATURES

INCLUDES:

- 1 Point - Rear Anchorage
- Fully Adjustable Leg & Shoulder Straps
- EN361 Certified
- User Weight up to 140KG
- Available in Sizes XS/M, M/XL

CONFORMS TO:

EN361 Certified for Users up to 140KG

Order Code	Size
FAASH1PH0000RNGXSM	XS/M
FAASH1PH0000RNGMXL	M/XL

BIGBEN® TWIN WEBBING LANYARD



- 2X Steel Scaffold Hooks
- 2M Length
- EN355 Certified
- Up to 140KG User Weight

Order Code
FAAWFTWA0000000000

BIGBEN® TWIN RETRACTABLE LANYARD



- 2X Steel Scaffold Hooks
- 2M Length
- Weighs only 1.9KG
- EN360 Certified
- Up to 160KG User Weight

Order Code
FAARF2SH0000000000



BIGBEN® FALL ARREST BLOCK



DEFINING FEATURES

INCLUDES:

- High Impact Composite Casing
- Galvanised Steel Wire
- Comes with Fall Indicator
- EN360 Certified
- 10M, 15M, 20M Lengths Available

CONFORMS TO:
EN360 Certified

Order Code	Length
FAAFAGSC0100000000	10M
FAAFAGSC0150000000	15M
FAAFAGSC0200000000	20M

56MM TWISTLOCK CARABINA



Order Code
FAATLCRB0056000000

JORDAN SAFETY CLAMP



Order Code
FAASCJOR0000000000

BIGBEN® LEATHER PROTECTOR



Order Code
FAALHSHP0000000000

LANYARD PARKING LOOP



Order Code
FAALBPLP0000000000



CHAMPION GEAR FALL ARREST RETRIEVAL BLOCK



DEFINING FEATURES

INCLUDES:

- Galvanised Steel Cable
- 15M Length
- Lightweight - Weighs only 9.5KG
- EN360 & EN1496:2016 Certified

CONFORMS TO:

- EN360 & EN1496:2016 Certified

Order Code

FAAGRFAARRTBL000015

FALL ARREST RETRIEVAL BLOCK



Order Code

Length

FAARBFAR0120000000	12M
FAARBFAR0180000000	18M
FAARBFAR0240000000	24M
FAARBFAR0300000000	30M
FAARBFAR0400000000	40M
FAARBFAR0650000000	65M

GOTCHA RESCUE KIT



Order Code

Length


FAARKGOT0500000000	50M
FAARKGOT1000000000	100M
FAARKGOT1500000000	150M



BIGBEN® 20M TEMPORARY 3 MAN LIFELINE



20M
MAX SPAN



DEFINING FEATURES

INCLUDES:

- Lightweight and portable
- Includes rope bag for storage
- Simplified setup
- Supports up to 3 users

CONFORMS TO:
Certified to EN795



**20M Polyester
3x35MM Webbing**
Strong and durable
webbing.



**Ratchet-Style
Tensioner with
Ergonomic Finger
Grip and Lock**
Easy to tighten.



**Suitable for explosion-
hazard zones**

Order Code

FAAHL3MWWEBB000020



BIGBEN® 4-MAN HORIZONTAL WIRE LIFELINE SYSTEM



DEFINING FEATURES

- Quick and Easy to Install
- Simple Turnbuckle to Tension
- Scaffold Hook Connection Each End
- 4-Man System
- EN795 2012 Class C
- 8MM Galvanised Wire
- Available in 3 Lengths

CONFORMS TO:
EN795 2012 Class C

Order Code	Length
FAAHL4MLWIRE000030	30M
FAAHL4MLWIRE000040	40M
FAAHL4MLWIRE000050	50M

SALA EZ-LINE TEMPORARY HORIZONTAL LIFELINE



DEFINING FEATURES

- 18M Lifeline
- Extremely Fast to Install
- 6MM Galvanised Steel Wire
- 1-2 Man System
- EN795-C Certified

CONFORMS TO:
EN795-C Certified

Order Code	Length
FAAHLTMZEZLL000018	18M



BRAKED PULLEY

SAFE LIFTING & LOWERING
DEVICE



50% Larger Wheel
Than other designs
to reduce the
resistance to lifting.



**Suitable for 16-18MM
Double Braided Rope**
or 18MM
Polypropylene (3
strand) rope.



**Auto Descent
Technology**
For maximum safety.



**Supplied with 50MM
eyebolt**
Suitable for sliding
straight onto the
scaffold tube.

**MADE IN
BRITAIN**

DEFINING FEATURES

INCLUDES:

- 50% Larger Pulley Wheel
- 50MM Tube Support Eyebolt
- Offset Guide Wheels
- Solid Aircraft Alloy Components
- Controlled descent

CONFORMS TO:
BSHR of the EC PPE
Directive (89/686/EEC)



Order Code
LEQPLCNB0000000000



SECURPULLEY

FIXED OR SWIVEL ARM AVAILABLE
FROM STOCK



DEFINING FEATURES

- Automatically stops the load when you let go
- SWL 50KG
- Very Simple-to-use Design
- 4 Counterweight Settings
- Individually Serial Numbered

Order Code
LEQGWABGSPUL000000

GIN WHEEL

WITH CERTIFICATE UPON
REQUEST



Order Code
LEQGW00000000000000

SWIVEL PULLEY ARMS



- For use with Securpulley and **BIGBEN**® Braked Pulley

Order Code
LEQPLSWA0000000000

BIGBEN®
**TRANSIT
LIFTING BAG**



Order Code
LEQLBTRA0300000000

LEACH'S
**SCAFFOLD
LIFTING BAG**



Order Code
LEQLBSCF0300000000

BIGBEN®
**HEAVY-DUTY
LEATHER
LIFTING BAG**



Order Code
LEQLBHDL1300000000

LEACH'S
TUFF BUCKET



Order Code
LEQT0001000000000



BIGBEN® SCAFFOLD BOARD LIFTER



DEFINING FEATURES

- Simply Slip the Adjustable Loop Over the Ends of 1-3 Boards, Pull Tight and Lift Away
- Quick and Easy to Release
- Lift and Lower Safely with Peace of Mind
- SWL 50KG
- Individually Serial Numbered

Order Code
LEQBLSCF0000000000

BIGBEN® DOUBLE TUBE LIFTER



Order Code
LEQTLSCF0000000000

BIGBEN® CRANE TAG LIFE WITH STEEL SCAFFOLD HOOK CONNECTOR



Order Code	Length
LEQCT00000500000000	5M
LEQCT00001000000000	10M
LEQCT00001500000000	15M
LEQCT00002000000000	20M



IMN CONTRACTORS SPANNER



- 7/16" Scaffold Spanner
- Perfect for Scaffolding Use
- Overall Spanner Length 230MM
- Zinc Plated

Order Code	Desc.
TTSSSCP02100000HS	Hex Socket
TTSSSCP0210000BHS	Bi-Hex Socket

LEACH'S SAFETY RING BOX IMN SCAFFOLD SPANNER



- 7/16" Scaffold Spanner
- 21MM Socket
- Swivel Ring on Socket to Attach Tool Safety Rope
- Poker Style Handle

Order Code	Desc.
TTSSSRPH02100000HS	Hex Socket
TTSSSRPH0210000BHS	Bi-Hex Socket

STEEL SCAFFOLDING PODGER RATCHET



- 19/21MM
- Reverse Switch
- Podger Handle

Order Code	Desc.
TTSPRFLT1921000021	Flush
TTSPRBXT1921000021	Box

BIGBEN® SCAFFOLDERS INDUCTION MAGNETIC LEVEL



- Vista-Tech Vial
- Faster to Work With a Perfectly Balanced Level
- Weighs only 144G
- High-Grade Composite Material

Order Code
TTSMLIND0000000000



LEACH'S **BLACK**

TOOL SAFETY ROPE
SWIVEL DOG CLIP WITH WIRE
LOOP ATTACHMENT



- Attaches to your Wrist or Belt
- Comes with Wire Loop to Attach to Tool

Order Code

TTSSRWL0000000000

BIGBEN® **2M HEAVY DUTY**

TOOL SAFETY ROPE
C/W 2X HEAVY DUTY SWIVELS,
TWISTLOCK SWIVEL CARABINA
& SCREW LINK



- 100% Lockable
- Heavy-Duty Anti Tangle Tool Tether

Order Code

TTSTTLC0020000000

BIGBEN® **MEMORY KEVLAR**

TOOL SAFETY ROPE
C/W 2X HEAVY DUTY SWIVELS,
TWISTLOCK SWIVEL CARABINA
& SCREW LINK



- 100% Lockable
- Heavy-Duty Anti Tangle Tool Tether

Order Code

TTSTTLC0020000KLR

BIGBEN® **SINGLE CLASP**

TOOL SAFETY HOLDER LANYARD



- 100% Lockable
- Fully Extends to 1.4M

Order Code

TTSTLTLCSCCTL000000



IMN CONTRACTORS TOOL & LEATHER BELT SET

NEUTRAL OR BLACK



TETHERED KIT

KIT INCLUDES

INCLUDES:

- IMN 2" X 44" Belt
- IMN Double Spanner Frog
- IMN Level Holder
- IMN 5M Tape Holder with Stud Fastener
- 2X Tool Belt Anchor Points
- IMN 7/16" Bi-Hex Steel Pinched Box Spanner with Stainless Steel Poker Handle with 2M Yellow Kevlar Tether
- **BIGBEN**® Induction Magnetic Boat Level with 2M Yellow Kevlar Tether
- Leach's 5M Rubber Enclosed Tape Measure with 2M Yellow Kevlar Tether
- 19/21MM Steel Flush Podger Ratchet with 2M Yellow Kevlar Tether

Order Code	Colour
LEABKSTT0000TAN000	Neutral
LEABKSTT0000BLK000	Black

IMN CONTRACTORS TOOL & LEATHER BELT SET

NEUTRAL OR BLACK



KIT INCLUDES

INCLUDES:

- IMN 2" X 44" Belt
- IMN Double Spanner Frog
- IMN Level Holder
- IMN 5M Tape Holder with Stud Fastener
- IMN 7/16" Bi-Hex Steel Pinched Box Spanner with Stainless Steel Poker Handle
- **BIGBEN**® Induction Magnetic Boat Level
- Leach's 5M Rubber Enclosed Tape Measure
- 19/21MM Steel Flush Podger Ratchet

Order Code	Colour
LEABKSCT0000TAN000	Neutral
LEABKSCT0000BLK000	Black



**IMN
2" BELT**
44" LENGTH



Order Code	Colour
LEAB0LEA0244TAN044	Neutral
LEAB0LEA0244BLK044	Black

**IMN
FROG**
DOUBLE



Order Code	Colour
LEASHDBL0000TAN000	Neutral
LEASHDBL0000BLK000	Black

**IMN
LEVEL HOLDER**



Order Code	Colour
LEALH00000000TAN000	Neutral
LEALH00000000BLK000	Black


**IMN
5M TAPE HOLDER**



Order Code	Colour
LEATH00000050TAN000	Neutral
LEATH00000050BLK000	Black



BIGBEN®
**SUPERCLAD
SCAFFOLD
SHEETING**



**DEFINING
FEATURES**

INCLUDES:

- Heavy-Duty Non Fire Retardant Scaffold Sheeting
- Protects works from wind, rain and extreme weather conditions
- Clear Colour
- Available in 2M or 3M High Rolls.

Order Code	Colour
CMTSSSCD0020000045	2M X 45M
CMTSSSCD0030000045	3M X 45M

BIGBEN®
**BUNGEE TOGGLE
TIES**

SUPPLIED IN BAGS OF 100



**SUITABLE
INDUSTRIES**



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE



STADIUM & EVENTS



TV & EVENTS



FESTIVAL & STAGE

**DEFINING
FEATURES**

INCLUDES:


- Elasticated Ties
- Weather Resistant
- Sharper Points for Easier Installation

CONFORMS TO:
BS7955 Compliant

Order Code
CMTBTIE0100000000




BIGBEN® SUPERCLAD® LPS1215 SCAFFOLD SHEETING



DEFINING FEATURES

INCLUDES:

- Available in three roll lengths
- Easily attached with toggle ties
- Heavy Duty Scaffold Sheeting
- 3 Fixing Bands
- Fire Retardant Certified to LPS1215




Branded Printing Available

Make your company stand-out with custom printed sheeting.



Easily Attaches with Toggle Ties

For quick and secure installation.



7CM Fixing Band with 15MM Eyelet Holes Every 100MM

Provides flexibility on fixing points during installation.



LPS1215 Fire Retardant Certified

Protect against rain and wind on-site.

2M X 45M ROLL

Order Code
CMTSSFLR0020000045

2.25M X 40M ROLL

Order Code
CMTSSFLR0022000040

3M X 45M ROLL

Order Code
CMTSSFLR0030000045



ANCHOR TEST KIT

FOR SCAFFOLDERS

DEFINING FEATURES

INCLUDES:

- Easier to set up & change tooling
- Lightweight & safer to use
- Less maintenance & longer life
- Easy-to-read gauge with rubber protector
- Large foot coverage
- Leg extensions available

CONFORMITY:

NASC Technical
Guidance TG4:19 Type
Certified



**Easy-to-read
0-25KN Hydraulic
Analogue Gauge**
For accurate load
reading.



Snap & Go Tooling
For highly efficient
adapter changing.


 **MADE IN
BRITAIN**

Order Code	Desc.
FXTATKIT0000000000	Anchor Test Kit




SUITABLE FOR TESTING


SCREWEYE



THREADS



BOLTS



KIT INCLUDES

- M16 Stud Attachment
- Bolt Pull Attachment
- 250 Yoke
- Drive Nut
- M16 X 2.0 Studding
- X3 50MM Leg Extensions
- X3 75MM Leg Extensions
- 22MM Combination Ratchet Spanner
- 3MM Allen Key
- 16MM Combination Spanner
- Oil Refill Bottle

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



BRICKWORK



DEMOLITION



TRANSPORTATION



MAINTENANCE



STADIUM & EVENTS



TV & EVENTS



FESTIVAL & STAGE



12MM
**EXCALIBUR
RING BOLT**



**DEFINING
FEATURES**

INCLUDES:

- Versatile - one Anchor for all Substrates
- Simple, Fast Installation
- Close to Edge Ability, Non-expanding
- Exceptional Strength
- Cost Effective
- 52MM Internal Diameter Eye
- Overall Length 190MM, Shaft Length 100MM

Order Code

FXTRBEXR0012000000

12MM
**THUNDERBOLT
SCREW BOLT**



**KIT
INCLUDES**

INCLUDES:

- Can be Screwed Directly Into A Hole Drilled in the Substrate
- Zinc and Yellow Passivate Plated
- 19MM Hex Head
- Available in 75MM, 100MM, and 150MM Lengths

Order Code

FXTSBTBS0012000000



**BIGBEN®
COMBICAP**


250 PACK



Order Code
CONCC0000250YELBAG

**BIGBEN®
HAZ COVER**

RED / WHITE



Order Code	Size
CONHC0000010RWT000	1M
CONHC0000450RWT000	450MM

**BIGBEN®
JACKSCAFF
TREDDA PLATE**



Order Code
CONTPJSC0000000000

**HEAVY DUTY
SOLE PLATE**



Order Code
CONSPHDT0000000000



**BIGBEN®
TUFFPAD**



**DEFINING
FEATURES**

INCLUDES:

- Fire Retardant
- Quick and Easy to Install
- Extremely Tough and Re-usable
- Available in Single, Double or 1M
- Available in Standard 4 Hi-Vis Colours
- Custom Colour Option Available
- Can Be Printed With Your Company Logo



Order Code	Order Code
CONTSPIN0000RNG000	Single Orange
CONTPDBL0000RNG000	Double Orange
CONTP1MT0010RNG000	1M. Orange
CONTSPIN0000GRN000	Single Green
CONTSPIN0000RED000	Single Red
CONTSPIN0000YEL000	Single Yellow

**BIGBEN®
IGLOO SCAFFOLD
FITTING COVER**



**DEFINING
FEATURES**

INCLUDES:


- Helps prevent and protect damage to workers and clothing
- Protects Pedestrians From Injury and Damage to Clothing from Scaffold Tube Fittings
- Clips to the Scaffold Tube
- Helps Prevent Unauthorised Scaffold Alterations
- Reusable
- Virtually Unbreakable
- Installed in Seconds
- Made from High Visibility Plastic

Order Code
CONFCSFCF0000000000

KIRTANLAL

SCAFFOLDING & FORMWORK

"Taking Safety to New Heights"



UAE HEAD OFFICE

DUBAI, UAE
+971 4 813 6000
uaesales@kirtanlal-sf.com

UAE

ABU DHABI, UAE
+971 4 813 6000
uaesales@kirtanlal-sf.com

INDIA HEAD OFFICE

MUMBAI, INDIA
+91 22 477 88800
indiasales@kirtanlal-sf.com

OMAN

MUSCAT, OMAN
+968 22017676
omansales@kirtanlal-sf.com

QATAR

DOHA, QATAR
+947 5551 7862
qatarsales@kirtanlal-sf.com

SAUDI ARABIA

RIYADH, SAUDI ARABIA
+966 500722697
ksasales@kirtanlal-sf.com



MIDDLE EAST & INDIA STOCKLIST

EMAIL: LEACHS@KIRTANLAL-SF.COM
PHONE & WHATSAPP: +971503889033